

New Case F Series Compact Wheel Loader is Perfect in Every Mission

Paris, 25 September, 2014

Case Construction Equipment launched today the new F Series range of compact wheel loaders that sets new standards of productivity, versatility, comfort, all with low cost of operation. The four model line-up, ranging from the 4.4 ton 21F to the 6.2 ton 321F, delivers consistently high levels of performance in every task with the powerful, highly efficient new hydraulic system. The low cab means the new compact wheel loaders move efficiently in every jobsite and are easy to transport. Operators enjoy the superior comfort of the cab, maximizing their productivity with minimum fatigue, and waste no time in daily maintenance tasks as all service points are easily accessible from the ground.



Designed for productivity

The new F-Series is designed to maximize productivity and minimize the time needed for servicing and attachment changeover.

The optimal weight distribution enables the new compact wheel loader to lift a much **bigger pallet load** than its predecessor. For example, at the low end of the range, the 21F XT is designed to lift up to 2,000 kg – 400 kg more than the 21E model it replaces.

The XT parallel linkage and Z-bar arms maintain the forks parallel to the ground, so the operator can handle pallets easily and faster. The design of the arm enables the operator to load the pallet on the opposite side of the truck, significantly **speeding up loading operations**.

The articulated joint and oscillating rear axle result in **excellent stability**. When the front tyres hit a rock or a hole, there is no bucket roll motion so the full load stays in the bucket and the cab remains vertical, which results in greater operating comfort.

Designed to save time

The cab has been lowered so that the compact wheel loader can move easily within the jobsites and are **easy to transport**. With the **low cab profile**, the 21F and 121F fall under the 2.5 meter threshold so that they can easily travel under a 4 meter bridge when loaded on a truck. The narrow turning radius of the F Series compact wheel loaders further adds to their agility in tight spaces.

When switching tasks, **no time is wasted as changing attachments** only takes a few seconds with Case Connect-under-pressure. The connectors are automatically depressurized and no hand tools are needed.





Maintenance is also very quick and easy, with all service points accessible at ground level.

Powerful versatility and control

The new hydraulic system delivers all the power needed to operate even the most power-hungry attachment. The **High Flow** option, available on the 221F and 321F, increases flow from 70 to 130 litres per minute and enables the use of powered attachments such as snow blowers or asphalt planers that contribute to getting the job done faster.

The new compact wheel loaders feature a 4-wheel drive **hydrostatic transmission** that offers a 33 km/h High Speed option on the 221F and 321F models with 2-gear mechanical gearbox. Turtle and rabbit speed can be engaged under load for maximum efficiency.

The **new Inch & Brake** pedal progressively disengages the transmission in the decelerating phase while progressively engaging the brakes, giving the operator millimetric control of the machine at low speeds.

The High Flow option comes with the **new Creep Speed**, which provides maximum hydraulic flow at constant speed in the 0 to 5.5 km/h range, ideal for tasks such as snow blowing, asphalt planning, brooming, trenching, compacting, and so on.

Superior comfort and safety

The cab of the new F Series compact wheel loaders provides a comfortable and safe work environment with features such as the 10 air vents, ergonomic layout, standard tilting adjustment of the steering wheel and the Case all-in-one joystick with adjustable wrist rest

The **all-in-in-one joystick** with proportional auxiliary control, flow memory button, float function and F-N-R switch puts all the machine's controls in the operator's hand.

The cab also comes with ROPS and FOPS Level 2 protection as standard, so that the operator can work safely with confidence on all jobsites.

Low emissions, high power, low maintenance engine technology

The new compact wheel loaders run a 3.4 litre, 4-cylinder turbocharged multiple injection high pressure common rail FPT Industrial engine with Waste Gate. This feature reduces drops in turbo pressure, resulting in fast engine response under load and superior turbocharger reliability.

The F Series meets **Tier 4 Final** emissions standards with a unique **maintenance free** solution developed by FPT Industrial that relies on Exhaust Gas Recirculation (EGR), a Diesel Oxidation Catalyst (DOC) and a Particulate Matter (PM) catalyst. The quantity of PM is reduced in the DOC



through a chemical reaction, and the residual PM is trapped in the PM catalyst. When It reaches a certain quantity in the catalyst, a light passive regeneration begins automatically.

	21F	121F	221F	321F
Straight tipping load	XT: 3.0 tons Z-bar: 2.7 tons	XT: 3.2 tons Z-bar: 2.9 tons	3.1 tons	3.6 tons
Fork Payload (80% FTTL)	XT: 2.0 tons Z-bar: 1.8 tons	XT: 2.2 tons Z-bar: 1.9 tons	3.1 tons	3.6 tons
Bucket size	$0.7-1.0 \text{ m}^3$	0.9 – 1.1 m ³	1.0 – 1.2 m ³	1.1 – 1.3 m³
Power	58 hp 43 kW	64 hp 48 kW	74 hp <i>55 kW</i>	74 hp <i>55 kW</i>
Weight	Max 5.4 ton	5.7 ton	6.0 ton	6.5 ton
Aux. Circuit	230 bar / 67 lpm @ 2500 rpm		Std flow: 230 bar / 85 lpm @2500 rpm	
			High Flow: 230 bar / 130 lpm @2500 rpm	
Cab Height	2.46 m		2.63 m	2.68 m

Visiting our website, you will be able to download texts, high resolution image files and videos related to this press release (jpg 300 dpi, CMYK): www.casecetools.com/press-kit

CASE Construction Equipment sells and supports a full line of construction equipment around the world, including the No. 1 loader/backhoes, excavators, motor graders, wheel loaders, vibratory compaction rollers, crawler dozers, skid steers, compact track loaders and rough-terrain forklifts. Through CASE dealers, customers have access to a true professional partner with world-class equipment and aftermarket support, industry-leading warranties and flexible financing. More information is available at www.CASEce.com.

CASE Construction Equipment is a brand of CNH Industrial N.V., a World leader in Capital Goods listed on the New York Stock Exchange (NYSE: CNHI) and on the Mercato Telematico Azionario of the Borsa Italiana (MI: CNHI). More information about CNH Industrial can be found online at www.cnhindustrial.com.

For more information contact:

Lynn Campbell (TLC PR for ALARCON & HARRIS)

Tel: +44 (0) 1704 566354

Email: lynn@tlcpr.co.uk