

MAGIRUS M34L-H TURNTABLE LADDER



SERVING HEROES. SINCE 1864.

 **MAGIRUS**

M34L-H TURNTABLE LADDER TECHNICAL DATA

CONCEPT

/ Rescue height / Working height	32 m / 34 m
/ Rescue cage	RC500 (5 persons)
/ Chassis	26-tonne class
/ Ladder set	4 sections
/ Articulated arm technology	No
/ Telescoping	No

STANDARD EQUIPMENT

- / Fully new designed rescue cage RC500 with a capacity for 5 person or 500kg
- / 4 practical entry doors into the cage
- / Swivelled cage to left and right of 45°
- / Cage platform in front for comfortable working conditions
- / 3x personnel safety belts for cage operations of 2m length
- / Reinforced ladder set for max. outreach performance
- / Aluminium superstructure made in NBS (New Body Structure) design
- / Water-/Foam monitor integrated in cage front of 4.000l/min capacity
- / Increased safety with LED lightning
- / Ergonomic main control stand
- / High-volume equipment spaces up to 9m³
- / Functional and attractive design
- / 4-section ladder set
- / VARIO jacking system combined with "ASS" fall protection system
- / Display indicators and computer monitoring for easy, safe operation
- / Self-protection nozzles on cage floor

OPTIONALLY AVAILABLE

- / Thermal imaging / real imaging camera on cage
- / Crew cabin
- / Positive pressure ventilator storage on cage
- / Swivel device for stretcher: 270 kg
- / Load of up to 6,000 kg on lower ladder section
- / Safety peak
- / Wide range of accessories available for anti-fall protection and height rescue
- / Remote diagnostic system
- / Design and painting options
- / Power supply to cage and various types of illumination
- / Autopilot: Memory control, shaft rescue function, ladder support control
- / Fire-fighting centrifugal pump & foam proportioning systems
- / Superstructure can be mounted on all suitable chassis in the 34-tonne class, made by any manufacturer

DETAILED VIEWS



Illustrations may include additional options. We reserve the right to make technical changes or improvements at any time without prior notice. Errors and omissions excepted.

MAGIRUS GmbH • Graf-Arco-Straße 30 • 89079 Ulm
www.magirusgroup.com • magirus@cnhind.com