

## MAGIRUS M32L-AS N.B. TURNTABLE LADDER



SERVING HEROES. SINCE 1864.

 **MAGIRUS**

# M32L-AS N.B. TURNTABLE LADDER TECHNICAL DATA

## CONCEPT

/ Rescue height / Working height	30,5 m / 34 m
/ Rescue cage	RC300 (3 persons)
/ Chassis	IVECO FFI60E32, 16-tonne class
/ Ladder set	4 sections
/ Articulated arm technology	Yes
/ Telescoping	No

## STANDARD EQUIPMENT

- / Fully new developed chassis as a low profile version
- / 4th generation of low profile ladders from Magirus
- / Perfectly suitable for inner city circulation and low bridge passages
- / Innovative, patented single-extension system for pulling out the top ladder section prior to the others
- / Improvement of weight distribution between the axles, less strain on the rear axle and reduction of overall vehicle weight for a higher payload and thus, for more technical fire-fighting equipment
- / Articulated ladder with a penetration depth of up to 4.9 meters
- / 4-section ladder set with oscillation damping CS (Computer Stabilized) and articulated section
- / New-Body-Structure (NBS)
- / Increased safety with LED floodlights
- / Ergonomic main control stand
- / High-volume equipment spaces plus platform boxes
- / Attractive design
- / Rescue cage with central control stand and practical entry doors in front cage corners
- / VARIO jacking system combined with "ASS" fall protection system
- / Display indicators and computer monitoring for easy, safe operation

## OPTIONALLY AVAILABLE

- / RC400 4-person rescue cage
- / Folding seat in RC400 rescue cage
- / Manually or electrically controlled water monitor; can be connected or permanently integrated
- / Thermal imaging / real imaging camera on cage
- / Positive pressure ventilator storage on cage
- / Swivel device for stretcher: 200 kg / 270 kg (RC400)
- / Load eye for load transport or rescue of oversized persons with heavy duty stretcher:
  - Load eye on RC400 cage floor: 400 kg
  - Load eye on top ladder section: 500 kg
- / Load of up to 4.000 kg on lower ladder section
- / Safety Peak
- / Wide range of accessories available for fall protection and rescue from heights
- / Autopilot: Memory control, shaft rescue function, ladder support control
- / Remote diagnostic system
- / Design and painting options
- / Power supply to cage and various types of illumination
- / Magirus direct entry (MDE) in front of cab
- / Rear axle steering system
- / Magirus Rescue Loader RL 500
- / Magirus Flexi Foam Adapter
- / Extensive range of additional accessories
- / Superstructure can be mounted on all suitable chassis in the 16-tonne class, made by any manufacturer
- / Low profile ladder also available in combination with M32L and M32L-AT

## DETAILED VIEWS



Abbildungen können zusätzliche Optionen enthalten. Wir behalten uns das Recht vor, jederzeit ohne Vorankündigung technische Änderungen oder Verbesserungen vorzunehmen. Irrtümer vorbehalten.

MAGIRUS GmbH • Graf-Arco-Straße 30 • 89079 Ulm  
www.magirusgroup.com • magirus@cnhind.com