

### Case Construction Equipment Compaction Equipment

Soil Compaction	SV208	SV210	SV212	SV216
Gross hp (kW)	99 (74)	99 (74)	160 (119)	160 (119)
Centrifugal force - lbf. (kN)	15,740 (7 140)	19,440 (8 820)	28,060 (12 730)	34,880 (15 820)
Loader lift capacity - lb. (kg)	29,215 - 32,586 (130 - 145)	32,586 - 35,957 (145 - 160)	46,310 - 62,250 (206 - 277)	53,261 - 73,037 (237)
Drum width - in. (mm)	66 (1 680)	66 (1 680)	84 (2 130)	84 (2 130)

Asphalt Compaction	DV23	DV26	DV36	DV45
Gross hp (kW)	30.6 (22.5)	30.6 (22.5)	40.8 (30)	40.8 (30)
Operating weight - lb. (kg)	4,960 (2 250)	5,423 (2 460)	8,245 (3 740)	10,296 (4 670)
Frequency - VPM (Hz)	3,480 - 3,960 (58 - 66)	3,480 - 3,960 (58 - 66)	2,700 - 3,420 (45 - 57)	2,700 - 3,420 (45 - 57)
Drum width - in. (mm)	39.4 (1 000)	47.2 (1 200)	51.2 (1 300)	54.3 (1 380)

Asphalt Compaction	DV207	DV209C	DV210C	DV213
Gross hp (kW)	80 (60)	100 (74.4)	100 (74.4)	130 (97)
Operating weight - lb. (kg)	16,230 (7 360)	21,030 (10 310)	22,730 (10 310)	28,840 (13 080)
Frequency - VPM (Hz)	2,580 - 4,020 (43 - 67)*	2,520 - 4,020 (42 - 67)*	2,520 - 4,020 (42 - 67)*	2,520 - 3,300 (42 - 55)
Drum width - in. (mm)	57 (1 450)	66 (1 680)	66 (1 680)	83 (2 100)

Compaction	PT240
Gross hp (kW)	99 (74)
Operating weight - lb. (kg)	21,140 (9 590)
Max. operating weight - lb. (kg)	52,910 (24 000)
Compaction width - in. (mm)	78 (1 986)

\*Frequency range includes standard and high frequency options.