



# Subaru Levorg Standard Safety Equipment

2016





# Adult Occupant



92%





Safety Assist

83%

## Pedestrian



75%



68%

## **SPECIFICATION**

Tested Model	Subaru Levorg 1.6 GT-S, LHD
Body Type	- 5 door estate
Year Of Publication	2016
Kerb Weight	1574kg
VIN From Which Rating Applies	- all Subaru Levorgs
Class	Small Family Car

# **SAFETY EQUIPMENT**

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	×
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	•	×	×
SIDE CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×



# SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix		×	•
Integrated CRS		×	×
Airbag cut-off switch		•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	•

OTHER SYSTEMS	
Active Bonnet (Hood)	×
AEB City	•
AEB Inter-Urban	•
Speed Assistance System	×
Lane Assist System	•

Note: Other equipment ma	ay be available on the vehicle but y	vas not considered in the test year.
Note. Other equipment in	ay be available on the vehicle but v	vas not considered in the test year.

Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety page	ack
i itted to the vehicle as standard	) i icced to the vehicle as part of the safety po	JCK

🚫 Not fitted to the test vehicle but available as option or as part of the safety pack 👚 💥 Not available	<ul> <li>Not applicable</li> </ul>






Total 35.0 Pts / 92%


**POOR** 






WEAK











Total 35.0 Pts / 92%

#### Comments

The passenger compartment remained stable in the frontal offset test. Dummy readings showed good protection of the knees and femurs of the driver and passenger. Subaru showed that a similar level of protection would be provided for occupants of different sizes and to those sat in different positions. Protection of the driver's chest was rated as marginal, owing to dummy readings of chest compression. In the full width rigid barrier test, protection was good except for the chest of the front seat driver, protection of which was adequate and the chest of the rear seat passenger, protection of which was marginal. In the side impact barrier test the Levorg scored maximum points with good protection of all critical body regions. In the more severe side pole impact, the Levorg provided good protection to all body regions except the chest, protection of which was adequate. Tests showed that the whiplash protection provided by the front seats and head restraints was good in the event of a rear end collision and a geometric assessment of the rear seats indicated good protection there also. Increased whiplash protection is provided by an autonomous emergency braking system. The system performed well in tests at the low speeds typical of city driving at which many whiplash accidents occur.



Total 41.0 Pts / 83%



## Crash Test Performance based on 6 & 10 year old children

20 Pts





Restraint for 6 year old child: *Subaru KidFix*Restraint for 10 year old child: *Graco booster* **Safety Features** 

9 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×

Fitted to test car as standard

O Not on test car but available as option

🗶 Not available

#### **CRS Installation Check**

12 Pts

Install without problem
 Install with care
 Safety critical problem
 Installation not allowed


#### i-Size CRS











Total 41.0 Pts / 83%

#### ISOFIX CRS









#### Universal Belted CRS











Total 41.0 Pts / 83%

		Seat Position		
	Front	Front 2nd row		
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (rearward) (iSize)	×	•	×	•
Maxi Cosi 2way Pearl & 2wayFix (forward) (iSize)	×	•	×	•
BeSafe i⊠ Kid X1 i-Size (iSize)	×	•	×	•
Maxi Cosi Cabriofix & FamilyFix (ISOFIX)	×	•	×	•
BeSafe iZi Kid X3 ISOfix (ISOFIX)	×	•	×	•
Römer Duo Plus (ISOFIX)	×	•	×	•
Römer KidFix XP (ISOFIX)	×	•	×	•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyBase2 (Belt)	•	•	×	•
Römer King II LS (Belt)	•	•	•	•
Römer KidFix XP (Belt)	•	•	•	•

Install without problem

Install with care

Safety critical problem

🗶 Installation not allowed

#### Comments

In the frontal offset test, neck tension and chest deceleration revealed, respectively, marginal and weak protection for those body areas in the 6 year dummy. Protection of the 10 year dummy was good, apart from marginal protection of the neck, and, in the side impact, was good for all critical body areas for both child dummies. The Levorg has an automatic system for disabling the front passenger airbag when, for example, a rearward-facing child restraint is used in that position. The system met Euro NCAP's requirements and was rewarded. All child restraints for which the Levorg is designed could be properly installed and accommodated.





Total 31.7 Pts / 75%

GOOD ADEQUATE MARGINAL WEAK POOR

Pedestrian Protection 31.7 Pts



Head Impact 16.1 Pts

Pelvis Impact 4.5 Pts

Leg Impact 6 Pts

AEB Pedestrian		5 Pts			
System Name	Eye	sight			
Туре	Auto-Brake with Forward Collision Warning				
Operational From	0 Km/h				
Additional Information	Additional Information Defaults on for every journey; operates above 40km/h and in low ambient light				
PERFORMANCE   PE					
Autobrake Function					
	Avoidance Mitigation				
Running Adult crossing from Farside	Collision avoided up to 50 km/h	Impact mitigated up to 55 km/h			
Walking Adult crossing from Nearside -25%	Collision avoided up to 40 km/h	Impact mitigated up to 60 km/h			
Walking Adult crossing from Nearside -75%	Collision avoided up to 60 km/h				

#### Comments

The bonnet provided good or adequate head protection over most of its surface, with some poorer results only along the front edge and on the stiff windscreen pillars. Protection provided by the bumper to pedestrians' legs was mixed, ranging from weak to good, and the protection provided to the pelvis was good at all points tested. An autonomous emergency braking system capable of detecting pedestrians is standard equipment and tests showed good performance, with impacts avoided or mitigated in many scenarios.





Seat Belt Reminder 3 Pts

Applies To	All seats		
Warning	Driver Seat	front passenger(s)	rear passenger(s)
Visual	•	•	•
Audible	•	•	•

Pass Fail — Not available

Lane Support 2.7 Pts

System Name	Subaru Eyesight	
Туре	Lane Keep Assist and Lane Departure Warning	
Operational From	60 km/h	
Warning	Audible and Visual	
PERFORMANCE		
LKA Confirmation Test	Pass (5/5)	
LDW Confirmation Test	Pass	





Total 8.3 Pts / 68%

AEB Interurban 2.6 Pts

System Name	Eyesight		
Туре	Forward Collision Warning with Auto-Brake		
Operational From	1 Km/h		
Additional Information	Default On		
PERFORMANCE			
Operational Speed	1-200 Km/h	1-250 Km/h	
	Autobrake Function Only	Driver reacts to warning	
Approaching a stationary car	See AEB City	Crash avoided up to 80km/h.	
Approaching a slower moving car	Crash avoided up to 70km/h.	Crash avoided up to 80km/h.	
FOLLOWING A CAR AT SHORT DISTANCE			
Car in front brakes gently	Avoidance	Avoidance	
Car in front brakes harshly	Mitigation	Mitigation	
FOLLOWING A CAR AT LONG DISTANCE			
Car in front brakes gently	Avoidance	Avoidance	
Car in front brakes harshly	Avoidance	Avoidance	

### Comments

The Levorg has a seatbelt reminder system as standard, covering the front and rear seats. A standard-fit lane assistance system warns the driver when the car is drifting over a lane marking and gently steers the car back into lane. The autonomous emergency braking system works at highway speeds and performed well in Euro NCAP's tests, with complete impact avoidance in some of the test scenarios.