



2022





Adult Occupant



94%

Child Occupant



87%

Vulnerable Road Users



73%



Safety Assist

93%

SPECIFICATION

Tested Model	WEY Coffee 02 2.0 hybrid 'Prestige', LHD
Body Type	- 5 door SUV
Year Of Publication	2022
Kerb Weight	2100kg
VIN From Which Rating Applies	- all Coffee 02's
Class	Small Off-Road

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•		_
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	_
LATERAL CRASH PROTECTION			
Side head airbag	•		•
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×
Centre Airbag	•	•	_

Euro NCAP © WEY Coffee 02 Oct 2022 2/18



SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	×	•
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
SAFETY ASSIST			
Seat Belt Reminder	•	•	•

OTHER SYSTEMS	
Active Bonnet	×
AEB Vulnerable Road Users	•
AEB Pedestrian - Reverse	
AEB Car-to-Car	•
Speed Assistance	•
Lane Assist System	•

Note: Other equipment m	nay be available on the	e vehicle but was not	considered in the test year.

Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety pack
-----------------------------------	--

O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable






Total 35.8 Pts / 94%











Total 35.8 Pts / 94%

GOOD	ADEQUATE	MARGINAL V	VEAK F	POOR
Rescue and Extrication				2.0 / 2 Pts
	Rescue Sheet	Available, ISO compliant		POF
	Advanced eCall	Available		
	Multi Collision Brake	Available		

Comments

The passenger compartment of the Coffee 02 remained stable in the frontal offset test. Dummy numbers showed good protection of the knees and femurs of both the driver and passenger. WEY demonstrated that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the Coffee 02 would be a somewhat aggressive impact partner in a frontal collision. In the full width rigid barrier test, protection of the chest of the rear passenger was rated as marginal, based on readings of chest compression. All other critical body areas were rated as good, both for the driver and rear passenger. In the side barrier test, protection of all critical body regions was good and the Coffee 02 scored maximum points in this part of the assessment. In the more severe side pole impact, protection of the chest was adequate and that of other body areas was good. Limitation of occupant excursion - the extent to which the occupant is flung to the other side of the vehicle in a side impact - was rated as adequate. The Coffee 02 has a centre airbag as a counter-measure against occupant to occupants. Tests on the front seats and head restraints demonstrated good protection against whiplash injures in the event of a rear-end collision. A geometric assessment of the rear seats also indicated good whiplash protection. The Coffee 02 has an advanced eCall system to alert the emergency services in the event of a collision, and a system that automatically applies the brakes to avoid secondary collisions.



Total 43 Pts / 87%



Crash Test Performance based on 6 & 10 year old children

24.0 / 24 Pts





Restraint for 6 year old child: *Britax Römer KidFix 25* Restraint for 10 year old child: *Britax Römer KidFix 25 booster*

Safety Features 7.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×


Fitted to test car as standard

Not on test car but available as option

🗶 Not available



CRS Installation Check 12.0 / 12 Pts



i-Size CRS











ISOFIX CRS









Total 43 Pts / 87%

Universal Belted CRS











Total 43 Pts / 87%

		Seat Pos	ition	
	Front		2nd row	
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi 2way Pearl & 2wayFix (i-Size)	_	•	_	
Maxi Cosi 2way Pearl & 2wayFix (i-Size)	_	•	_	
BeSafe iZi Kid X2 i-Size (i-Size)	-	•	_	•
Britax Römer TriFix2 i-Size (i-Size)	_	•	_	
BeSafe iZi Flex FIX i-Size (i-Size)	_	•	_	•
BeSafe iZi Combi X4 ISOfix (ISOFIX)	_	•	_	•
Cybex Solution Zi-Fix (ISOFIX)	_	•	_	•
Maxi Cosi Cabriofix (Belt)	•	•	•	•
Maxi Cosi Cabriofix & EasyFix (Belt)	•	•	•	•
Britax Römer King II LS (Belt)	•	•	•	•
Cybex Solution Zi-Fix (Belt)	•	•	•	•

Install without problem

Install with care

Safety critical problem

🗶 Installation not allowed

— Not available

Comments

The Coffee 02 provided good protection to all critical body areas of the 6 and 10 year dummies, both in the frontal offset test and the side barrier impact, and scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the child restraints for which the Coffee 02 is designed could be properly installed and accommodated in the car.



K VULNERABLE ROAD USERS

Total 39.6 Pts / 73%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	

Pedestrian 23.0 / 36 Pts



Head Impact	15.6 Pts
Pelvis Impact	1.5 Pts
Leg Impact	5.9 Pts

Vulnerable Road Users 16.7 / 18 Pts

System Name	Automatic Emergency Braking
Туре	Auto-Brake with Forward Collision Warning
Operational From	5 km/h



VULNERABLE ROAD USERS

Total 39.6 Pts / 73%

AEB Pedestrian

8.0 / 9 Pts

Day time

Vehicle reversing into standing pedestrian



Pedestrian crossing a road into which a car is turning


Adult crossing the road



Child running from behind parked vehicles



Adult along the roadside




Night time

Adult crossing the road



Adult along the roadside









VULNERABLE ROAD USERS

Total 39.6 Pts / 73%

AEB Cyclist



Cyclist from nearside, obstructed view






Cyclist along the roadside



Comments

The protection offered by the bonnet to the head of a struck pedestrian was predominantly good or adequate. The bumper provided good or adequate protection to pedestrians' legs at all test positions. However, protection of the pelvis was predominantly poor. The Coffee 02's autonomous emergency braking (AEB) system detects vulnerable road users like pedestrians and cyclists, as well as other vehicles. In tests of the system's response to such road-users, performance was rated as good, with collisions avoided or mitigated in most test scenarios.







Lane Support 4.0 / 4 Pts

System Name	Lane Assist + ELK
Туре	LKA and ELK
Operational From	60 km/h
PERFORMANCE	
Emergency Lane Keeping	GOOD
Lane Keep Assist	GOOD
Human Machine Interface	GOOD

AEB Car-to-Car 5.7 / 6 Pts

System Name	Automatic Emergency Braking
Туре	Autonomous emergency braking and forward collision warning
Operational From	5 km/h
Sensor Used	camera and radar






Autobrake function only


Car turning across the path of an oncoming car




Approaching a stationary car




Approaching a slower moving car




Approaching a slower moving car




Approaching a stationary car




Approaching a stationary car



Approaching a slower moving car



Approaching a braking car









Driver reacts to warning


Approaching a stationary car




Approaching a stationary car




Approaching a slower moving car




Approaching a braking car




Approaching a stationary car



Approaching a slower moving car



Approaching a slower moving car







Comments

The Coffee 02's autonomous emergency braking (AEB) system performed well in tests of its reaction to other vehicles, with impacts avoided in most test cases. A seatbelt reminder system, including occupant detection, is standard for all seats and the Coffee 02 is also equipped with a driver monitoring system, which monitors steering inputs for patterns which are characteristic of a fatigued or inattentive driver. Lane assistance corrects the car's path if it is drifting out of lane and which also intervenes in some more critical situations. A camera based speed assistance system recognises local speed limits, allowing the speed limiter to be set appropriately.



RATING VALIDITY

Variants of Model Range

Body Type	Engine	Model Name / Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	2.0 Petrol Hybrid	Mid	4 X 2	✓	✓
5 door SUV	2.0 Petrol Hybrid	Prestige *	4 X 2	✓	✓
5 door SUV	2.0 Petrol Hybrid	Mid	4 X 4	✓	✓

^{*} Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome	
November 2022	Rating Published	2022 ★ 🖈 🛧 ★	✓