



2025





## Adult Occupant









Safety Assist



Vulnerable Road Users







80%

## **SPECIFICATION**

Tested Model	VW Tayron 2.0 TDI 4motion R-Line, LHD
Body Type	- 5 door SUV
Year Of Publication	2025
Kerb Weight	1234kg
VIN From Which Rating Applies	- all Tayrons
Class	Large SUV



## **SAFETY EQUIPMENT**

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•	•	_
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	×	×	_
LATERAL CRASH PROTECTION			
Side head airbag	•		•
Side chest airbag	•	•	•
Side pelvis airbag	•	•	•
Centre Airbag	•	×	_

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	•	•
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
Child presence detection	_	×	•
SAFETY ASSIST			
Seat Belt Reminder	•	•	•



## SAFETY EQUIPMENT (NEXT)

OTHER SYSTEMS	
Active Bonnet	×
AEB Vulnerable Road Users	
AEB Pedestrian - Reverse	×
Cyclist Dooring Prevention	
AEB Motorcyclist	
AEB Car-to-Car	
Speed Assistance	
Lane Assist System	
Fatigue / Distraction Detection	

Note: Other equipment may be available on the vehicle but was not considered in the test year.

Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety pace


O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable






Total 35.0 Pts / 87%











Total 35.0 Pts / 87%

GOOD ADEQUATE	MARGINAL WEAK POOR
Rescue and Extrication	4.0 / 4 Pts
Rescue Sheet	Available, ISO compliant
Advanced eCall	Available
Multi Collision Brake	Available
Submergence Check	Compliant

#### Comments

The passenger compartment of the VW Tayron remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. VW showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the VW Tayron would be an aggressive impact partner in a frontal collision. In the full-width rigid barrier test, protection was good for all critical body regions of the driver and at least adequate for the rear seat passenger. In the side barrier test, the VW Tayron provided good protection to all critical body areas and scored maximum points. In the more severe side pole impact, protection was rated as marginal for the chest, based on dummy readings of rib compression. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be adequate The VW Tayron has a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. The airbag performed well in Euro NCAP's tests with dummy readings indicating good protection for both the driver and passenger. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. VW demonstrated that the doors and windows would be openable to allow occupants to escape in the event of vehicle submergence.



Total 41.7 Pts / 85%

GOOD **ADEQUATE** MARGINAL WEAK POOR

### Crash Test Performance based on 6 & 10 year old children

24.0 / 24 Pts





Restraint for 6 year old child: Britax Römer Kidfix i-Size Restraint for 10 year old child: Britax Römer Kidfix i-Size

Safety Features 6.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center	3rd row outboard *
Isofix	•	•	×	×
i-Size	•	•	×	×
Integrated CRS	×	×	×	×
Top tether	•	•	×	×
Child Presence Detection	×	•	•	•

\* Third row seats available as option


Fitted to test car as standard Not on test car but available as option X Not available

11.7 / 12 Pts **CRS Installation Check** 

<b>L</b> i i-Size	Seat Position							
	Fro	ont		2nd row			3rd row	
		<b>⊗</b> *⁄ <sub>2</sub>	Left	center	Right	Left	center	Right
٤	•	×	•	_	•	_	_	_











Airbag ON Rearward facing restraint installation not allowed



# CHILD OCCUPANT

Total 41.7 Pts / 85%

<b>(</b> Isofix				Seat	Position			
	Fre	ont		2nd row			3rd row	
		<b>⊗</b> .∕.2	Left	center	Right	Left	center	Right
	•	×	•	_	•	_	_	_
<b>\\ \( \)</b>	×	•	•	_	•	_	_	_
K	•	×	•	_	•		_	_
L	•	×	•	_	•	_	_	_
	•	×	•	_	•	_	_	_
	×	•	•	_	•		_	_

Easy

Difficult

Safety critical

× Not allowed

Airbag ON Rearward facing restraint installation not allowed

Airbag OFF

Seatbelt Attached	Seat Position							
	Fro	ont		2nd row			3rd row	
		⊗•,́_2	Left	center	Right	Left	center	Right
<b>A</b>	×	•	•	•	•	×	×	×
	•	×	•	•	•		•	•
Ŀ	•	×	•	•	•	•	•	•
K	•	×	•	•	•	•	•	•
	•	×	•	×	•	×	_	×
	×	•	•	×	•	×	_	×

Easy

Difficult

Safety critical

× Not allowed

Airbag ON Rearward facing restraint installation not allowed

🎇 Airbag OFF





Total 41.7 Pts / 85%

#### Comments

In both the frontal offset and the side barrier tests, protection was good for all critical body areas, for the 6 and 10 year dummies, and the VW Tayron scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The VW Tayron is equipped with an indirect 'child presence detection' system, which issues a warning when it recognises that a child or infant may have been left in the car. Indirect systems are no longer rewarded by Euro NCAP. All the child restraint types for which the Tayron is designed could be properly installed and accommodated, with the exception of some belted restraints in the optional third-row, where care is needed to install correctly.



# 🚶 VULNERABLE ROAD USERS

Total 52.9 Pts / 83%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	

**VRU** Impact Protection

30.2 / 36 Pts



Pedestrian & Cyclist Head	12.2 Pts
Pelvis	4.5 Pts
Femur	4.5 Pts
Knee & Tibia	9.0 Pts

VRU Impact Mitigation

22.8 / 27 Pts

System Name	Front Assist
Туре	Auto-Brake with Forward Collision Warning
Operational From	4 km/h
PERFORMANCE	

**AEB** Pedestrian

6.4 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child		_
Adult crossing a road into which a car is turning		_
Adult crossing the road		
Child running from behind parked vehicles		
Adult along the roadside		

Currently not tested

AEB Cyclist

7.6 / 8 Pts

Scenario	Day time
Approaching cyclist crossing from behind parked vehicles	
Turning across path of an oncoming cyclist	
Approaching a crossing cyclist	
Approaching a cyclist along the roadside	



## 🕺 VULNERABLE ROAD USERS

Total 52.9 Pts / 83%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR
Cyclist Dooring Pre	vention			0.3 / 1 Pts

Scenario	
Dooring a passing cyclist	information, driver door only"

AEB Motorcyclist 6.0 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist		
Approaching a braking motorcyclist		
Turn across the path of an oncoming motorcyclist		_

Currently not tested

### Lane Support Motorcyclist

2.5 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	
Changing lane across the path of an overtaking motorcyclist	

#### Comments

Protection of the head of a struck pedestrian or cyclist was predominantly good or adequate, with poor results recorded on the stiff windscreen pillars and at the base and top of the screen. Protection of the pelvis, the femur and that of the knee and tibia was good at all test locations and maximum points were scored. The autonomous emergency braking system of the VW Tayron responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed adequately but does not detect those to the rear of the car. The system performed well in tests of its reaction to cyclists, with some warning against 'dooring', while its response to motorcyclists was good.

Type

Fatigue

Operational From

Indirect monitoring

10 km/h

Drowsiness



Total 14.5 Pts / 80%

Lane Support		3.0 / 3 Pts
System	m Name	Lane Assist
	Туре	LKA and ELK
Operation	nal From	65 km/h
PERFORMANCE		

GOOD

GOOD

GOOD

AEB Car-to-Car	8.5 / 9 Pts

Emergency Lane Keeping

Human Machine Interface

Lane Keep Assist

System Name	Front Assist
Туре	Autonomous emergency braking
Operational From	4 km/h
Sensor Used	camera and radar

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction		
Approaching a car head-on		_
Turning across the path of an oncoming car		_
Approaching a stationary car		
Approaching a slower moving car		_
Approaching a braking car		_

Currently not tested





Total 14.5 Pts / 80%

#### Comments

Overall, the performance of the autonomous emergency braking (AEB) system was good in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has an indirect driver status monitoring system as standard, detecting driver fatigue but not distraction. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system.



## **RATING VALIDITY**

### Variants of Model Range

Body Type	Engine	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	1,5l petrol TSI mild hybrid	1.5 eTSI	4 x 2	<b>✓</b>	<b>✓</b>
5 door SUV	1,5l TSI petrol plug in hybrid	1.5 eHybrid	4 x 2	<b>✓</b>	<b>✓</b>
5 door SUV	2,01 TDI diesel	2.0 TDI	4 x 2	<b>✓</b>	<b>✓</b>
5 door SUV	2,0l TDI diesel	2.0 TDI 4motion *	4 x 4	<b>✓</b>	<b>✓</b>
5 door SUV	2,0l TFSI petrol	2.0 TFSI 4motion	4 x 4	<b>✓</b>	<b>✓</b>

### Annual Reviews and Facelifts

Date	Event	Outcome	
May 2025	Rating Published	2025 ★ 🖈 🖈 🛧	✓

<sup>\*</sup> Tested variant