

LUCID

Lucid Gravity Standard Safety Equipment

2025





Adult Occupant







Child Occupant

93%

Vulnerable Road Users







Safety Assist

85%

SPECIFICATION

Tested Model	Lucid Gravity Grand Touring, LHD
Body Type	- 5 door SUV
Year Of Publication	2025
Kerb Weight	2786kg
VIN From Which Rating Applies	- all Lucid Gravity models
Class	Large SUV



SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	•		_
Belt pretensioner	•	•	•
Belt loadlimiter	•	•	•
Knee airbag	•	•	_
LATERAL CRASH PROTECTION			
Side head airbag	•	•	•
Side chest airbag	•	•	×
Side pelvis airbag	•	•	×
Centre Airbag	•	×	_

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix/i-Size	_	×	•
Integrated CRS	_	×	×
Airbag cut-off switch	_	•	_
Child presence detection	_	•	•
SAFETY ASSIST			
Seat Belt Reminder	•	•	•



SAFETY EQUIPMENT (NEXT)

OTHER SYSTEMS	
Active Bonnet	
AEB Vulnerable Road Users	
AEB Pedestrian - Reverse	
Cyclist Dooring Prevention	
AEB Motorcyclist	
AEB Car-to-Car	
Speed Assistance	•
Lane Assist System	
Fatigue / Distraction Detection	•

Note: Other equipment may be available on the vehicle but was not considered in the test year.


Fitted to the vehicle as standard	Fitted to the vehicle as part of the safety pack
I litted to the vehicle as standard	Tricted to the venicle as part of the safety pack


O Not fitted to the test vehicle but available as option or as part of the safety pack X Not available — Not applicable






Total 33.5 Pts / 83%











Total 33.5 Pts / 83%

GOOD ADEQUATE	MARGINAL WEAK POOR
Rescue and Extrication	1.5 / 4 Pts
Rescue Sheet	Available, ISO compliant
Advanced eCall	Available
Multi Collision Brake	Available
Submergence Check	Partially Compliant

Comments

The passenger compartment of the Lucid Gravity remained stable in the frontal offset test. Protection of all critical body areas was good for the front passenger. Dummy readings indicated good protection of the knees and femurs of both the driver and the front seat passenger. Lucid showed that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions. Analysis of the deceleration of the impact trolley during the test, and analysis of the deformable barrier after the test, revealed that the Lucid Gravity would be a somewhat aggressive impact partner in a frontal collision. The front passenger door in the MPDB test remained locked after the test, potentially hindering the efforts of first-responders, and a penalty was applied. In the full-width rigid barrier test, protection was good or adequate for all critical body regions of the driver and rear seat passenger. In the side barrier test, protection was good for all critical body areas, and the Lucid Gravity scored maximum points. However, in the more severe side pole impact, dummy readings of rib compression indicated marginal chest protection. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was found to be good. The Lucid Gravity has a countermeasure to mitigate against occupant-to-occupant injuries in such impacts. The airbag performed well in Euro NCAP's tests with dummy readings indicating good protection for both the driver and passenger. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The car has an advanced eCall system which alerts the emergency services in the event of a crash, and a system to prevent secondary impacts after the car has been in a collision. Lucid demonstrated that the doors would be openable to allow occupants to escape in the event of vehicle submergence.



Total 46.0 Pts / 93%

GOOD **ADEQUATE** MARGINAL WEAK POOR

Crash Test Performance based on 6 & 10 year old children

24.0 / 24 Pts





Restraint for 6 year old child: Britax Römer Kidfix i-Size Restraint for 10 year old child: Graco Booster

10.0 / 13 Pts Safety Features

	Front Passenger	2nd row outboard	2nd row center
Isofix	×	•	×
i-Size	×	•	×
Integrated CRS	×	×	×
Top tether	×	•	×
Child Presence Detection	•	•	•

* Third row seats available as option

Fitted to test car as standard Not on test car but available as option X Not available

12.0 / 12 Pts **CRS Installation Check**

i-Size	Seat Position						
	Fro	ont		2nd row		3rd	d row
		⊗	Left	center	Right	Left	Right
٤	_	_	•	_	•	_	_





Safety critical





Airbag ON Rearward facing restraint installation not allowed



CHILD OCCUPANT

Total 46.0 Pts / 93%

& Isofix	Seat Position						
	Fre	Front 2nd row 3rd row		d row			
		⊗ .∕.2	Left	center	Right	Left	Right
	_	_	•	_	•	_	_
\\ \(\)	_	_	•	_	•	_	_
K	_	_	•	_	•	_	_
Ľ	_	_	•	_	•	_	_
	_	_	•	_	•	_	_
	_	_	•	_	•	_	_

Easy Difficult

Safety critical

× Not allowed

Airbag ON Rearward facing restraint installation not allowed

⊗∴ Airbag OFF

Seatbelt Attached		Seat Position						
	Fro	ont		2nd row			3rd row	
		⊗ × 12	Left	center	Right	Left	Right	
	×	•	•	•	•	•	•	
	×	•	•	•	•	•	•	
E	×	•	•	•	•	•	•	
K	×	•	•	•	•	•	•	
	×	•	•	•	•	•	•	
	×	•	•	•	•	•	•	

Easy

Difficult

Safety critical

★ Not allowed

Airbag ON Rearward facing restraint installation not allowed

🎇 Airbag OFF





Total 46.0 Pts / 93%

Comments

In both the frontal offset and the side barrier tests, protection was good for all critical body areas, for the 6 and 10 year dummies, and the Lucid Gravity scored maximum points in this part of the assessment. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The Lucid Gravity is equipped with a direct 'child presence detection' system, which issues a warning when it detects that a child or infant has been left in the car. All of the child restraint types for which the Lucid Gravity is designed could be properly installed and accommodated in the car.



🚶 VULNERABLE ROAD USERS

Total 50.6 Pts / 80%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	

VRU Impact Protection

25.0 / 36 Pts



Pedestrian & Cyclist Head	12.2 Pts
Pelvis	0.5 Pts
Femur	4.5 Pts
Knee & Tibia	7.8 Pts

VRU Impact Mitigation

25.5 / 27 Pts

System Name	Front Collision Protection, Rear Pedestrian Collision Protection
Туре	Auto-Brake with Forward Collision Warning
Operational From	7 km/h
PERFORMANCE PE	

AEB Pedestrian

8.2 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child		_
Adult crossing a road into which a car is turning		_
Adult crossing the road		
Child running from behind parked vehicles		
Adult along the roadside		

Currently not tested

AEB Cyclist

7.8 / 8 Pts

Scenario Scenario	Day time
Approaching cyclist crossing from behind parked vehicles	
Turning across path of an oncoming cyclist	
Approaching a crossing cyclist	
Approaching a cyclist along the roadside	



📝 VULNERABLE ROAD USERS

Total 50.6 Pts / 80%

GOOD	ADEQUATE	MARGINAL	WEAK	POOR	
Cvclist Dooring Prev	ention			1.0 / 1	Pts

Scenario	
Dooring a passing cyclist	sudden opening prevention, all side doors"

AEB Motorcyclist 5.5 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist		
Approaching a braking motorcyclist		
Turn across the path of an oncoming motorcyclist		_

Currently not tested

Lane Support Motorcyclist

3.0 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	
Changing lane across the path of an overtaking motorcyclist	

Comments

The Lucid Gravity has an 'active' bonnet. Sensors in the bumper detect when a pedestrian has been struck and actuators lift the bonnet surface to provide more space to the hard structures underneath. Lucid showed that the system worked robustly over a range of speeds and for different statures. Accordingly, the car was tested with the bonnet in the raised, deployed position. Protection of the head of a struck pedestrian or cyclist was largely good, with poor results recorded on the stiff windscreen pillars and at the base of the screen. Protection of the pelvis was almost completely poor. If it were not for the fraction of a point scored, the Lucid Gravity would have been ineligible for a five-star rating. Protection of the femur was good at all test locations, while that of the knee and tibia was predominantly good or adequate. The autonomous emergency braking system of the Lucid Gravity responds to vulnerable road users such as pedestrians and cyclists, as well as to other vehicles. In tests of its response to pedestrians, the system performed well, with good protection of those to the rear of the car. The system also performed well in tests of its reaction to cyclists, including 'dooring', where a door is opened into the path of a cyclist approaching from behind. The system's response to motorcyclists was good.

Distraction

Long and Short Distraction



Total 15.3 Pts / 85%

Lane Support	2.8 / 3 Pts
--------------	-------------

System Name	Lane Departure Protection, Blind Spot Protection
Туре	LKA and ELK
Operational From	50 km/h
PERFORMANCE	
Emergency Lane Keeping	0000
Emergency Earle Resping	GOOD
Lane Keep Assist	MARGINAL

AEB Car-to-Car 7.9 / 9 Pts

System Name	Front Collision Protection
Туре	Autonomous emergency braking and forward collision warning
Operational From	7 km/h
Sensor Used	camera and radar

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction		
Approaching a car head-on		_
Turning across the path of an oncoming car		_
Approaching a stationary car		
Approaching a slower moving car		_
Approaching a braking car		_

Currently not tested





Total 15.3 Pts / 85%

Comments

Overall, the performance of the autonomous emergency braking (AEB) system was good in tests of its reaction to other vehicles. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has a direct driver status monitoring system as standard, detecting driver fatigue and some types of distraction. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system.



RATING VALIDITY

Variants of Model Range

Body Type	Engine	Model Name/Code	Drivetrain	Rating Applies	
				LHD	RHD
5 door SUV	Electric	Grand Touring *	4 x 4	✓	✓
5 door SUV	Electric	Touring	4 x 4	✓	✓

Annual Reviews and Facelifts

Date	Event	Outcome	
November 2025	Rating Published	2025 ★ ★ ★ ★	✓

^{*} Tested variant