


Living & Working with Multiple Sclerosis (MS)

An estimated **2.5 MILLION** people have MS worldwide.¹



70% of MS cases occur between the ages of 20 and 40 years, so most people are in employment at the time of diagnosis.²

Work place adjustments can ensure people with MS remain employed:

- Flexible work schedule
- Regular breaks
- Varied tasks
- Freedom to take annual leave when needed
- Proactive career progression planning
- Matching ability to function

Three-quarters of people with MS say that the disease has affected their employment.³

SYMPTOMS OF MS THAT AFFECT PRODUCTIVITY AT WORK ⁴	Depressed mood 	Bladder and bowel problems 	Visual disturbances
	Motor disturbances 	Sensory disturbances 	Speech problems
			Severe fatigue

REFERENCES

1. National Multiple Sclerosis Society website. <http://www.nationalmssociety.org/about-multiple-sclerosis/what-we-know-about-ms/faqs-about-ms/index.aspx>. Accessed May 2012.
2. European Multiple Sclerosis Platform. MS – fact sheet. 2011. Available at: <http://www.ms-in-europe.org/multiple-sclerosis/index.php?kategorie=whatism&cnr=6&nr=127>. Accessed May 2012.
3. Green G *et al*. Biographical disruption associated with Multiple Sclerosis. *Soc Sci Med* 2007;65:524–35.
4. Kobelt G *et al*. Costs and quality of life of patients with multiple sclerosis in Europe. *J Neurol Neurosurg Psychiatry* 2006;77:918–26.