

TECHNICAL SPECIFICATIONS  
New CUPRA ATECA



	2.0 TSI 300 HP DSG 4Drive
<b>ENGINE</b>	
Cylinder/Valve (Total)	4 Cyl. - 16v
Displacement (cc)	1984
Bore and stroke (mm)	82,5 x 92,8
Compression ratio	9,3
Maximum power (kW/HP/rpm)	221/300/5300-6500
Max. Torque (Nm/rpm)	400/2000-5200
Fuel supply system	TSI Direct Injection
Ignition	Electronic map-controlled ignition
Fuel type	ROZ 98
Emissions standard	EU6
Alternator (A)	110-180
Battery (Ah)	59-68 / 320-380
<b>PERFORMANCE</b>	
Max. Speed (Km/h)	247
Acceleration 0-100 Km/h (s)	5,2
<b>MASS EMISSION</b>	
CO2 Combined NEFZ / WLTP Range (g/Km)	168 / 192 - 201
<b>FUEL CONSUMPTION</b>	
Combined NEFZ / WLTP Range (l/100 Km)	7,4 / 8,5 - 8,9
<b>TRANSMISSION</b>	
Gearbox type:	DSG 7-speed Start-Stop
I	3,400
II	2,750
III	1,767
IV	0,925
V	0,705
VI	0,755
VII	0,635
R	2,900
Group ratio	4,812 (1) 3,667 (2)
<b>CHASSIS</b>	
Front suspension	Independent Type McPherson - coil springs - hydraulic Shock absorber
Rear suspension	Multilink axle, coil springs and hydraulic shock absorber
Steering system	Progressive Steering
Turning diameter (m)	10,8
Brake system	Dual hydraulic circuit and brake system diagonal split with brake booster
Front / Rear brake type	Front ventilated disc brakes and rear solid disc brakes
Front brakes (mm)	340 x 30
Rear brakes (mm)	310 x 22
Rims (")	19"
Tyres	245/40 R19
<b>PACKAGE</b>	
Body type	A-SUV
Length / width / height (mm)	4376 / 1841 / 1611
Wheelbase (mm)	2631
Front/Rear track (mm)	1573 / 1547
Boot capacity (l)	485
Petrol tank capacity (l)	55
<b>WEIGHTS</b>	
In running order with driver (Kg)	1615
Max. Weight allowed (Kg)	2150